


Shahmanshah

## RAW SEQUENCE LISTING ERROR REPORT

BIOTECHNOLOGY  
SYSTEMS  
BRANCH



APR 06 2001  
TECH CENTER 1600/2900

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable form:

Application Serial Number: 09/646,043

Source: 1645

Date Processed by STIC: 3/29/2001

**THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.**

**PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:**

- 1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY or;
- 2) TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY

**FOR CRF SUBMISSION QUESTIONS, PLEASE CONTACT MARK SPENCER, 703-308-4212.**

**FOR SEQUENCE RULES INTERPRETATION, PLEASE CONTACT ROBERT WAX, 703-308-4216.**

**PATENTIN 2.1 e-mail help: [patin21help@uspto.gov](mailto:patin21help@uspto.gov) or phone 703-306-4119 (R. Wax)**

**PATENTIN 3.0 e-mail help: [patin3help@uspto.gov](mailto:patin3help@uspto.gov) or phone 703-306-4119 (R. Wax)**

**TO REDUCE ERRORED SEQUENCE LISTINGS, PLEASE USE THE CHECKER VERSION 3.0 PROGRAM, ACCESSIBLE THROUGH THE U.S. PATENT AND TRADEMARK OFFICE WEBSITE. SEE BELOW:**

### **Checker Version 3.0**

The Checker Version 3.0 application is a state-of-the-art Windows based software program employing a logical and intuitive user-interface to check whether a sequence listing is in compliance with format and content rules. Checker Version 3.0 works for sequence listings generated for the original version of 37 CFR §§1.821 - 1.825 effective October 1, 1990 (old rules) and the revised version (new rules) effective July 1, 1998 as well as World Intellectual Property Organization (WIPO) Standard ST.25.

Checker Version 3.0 replaces the previous DOS-based version of Checker, and is Y2K-compliant. Checker allows public users to check sequence listings in Computer Readable form (CRF) before submitting them to the United States Patent and Trademark Office (USPTO). Use of Checker prior to filing the sequence listing is expected to result in fewer errored sequence listings, thus saving time and money.

**Checker Version 3.0 can be down loaded from the USPTO website at the following address:**

**<http://www.uspto.gov/web/offices/pac/checker>**

1645

## RAW SEQUENCE LISTING

PATENT APPLICATION: US/09/646,043

DATE: 03/29/2001

TIME: 15:59:24

Input Set : A:\0933-0162P.ST25.txt

Output Set: N:\CRF3\03292001\I646043.raw

Does Not Comply  
Corrected Diskette Needed

3 <110> APPLICANT: HAKALEHTO, Eino  
 5 <120> TITLE OF INVENTION: METHOD FOR DETECTING MICROBES FROM AN ENRICHMENT CULTURE  
 7 <130> FILE REFERENCE: 0933-0162P  
 9 <140> CURRENT APPLICATION NUMBER: 09/646,043  
 10 <141> CURRENT FILING DATE: 2000-10-25  
 12 <160> NUMBER OF SEQ ID NOS: 1  
 14 <170> SOFTWARE: PatentIn version 3.0  
 16 <210> SEQ ID NO: 1  
 17 <211> LENGTH: 18  
 18 <212> TYPE: PRT  
 19 <213> ORGANISM: Artificial  
 21 <220> FEATURE:  
 22 <223> OTHER INFORMATION: Synthetic Peptide sequence derived from Salmonella typhimurium  
 24 <400> SEQUENCE: 1  
 26 Ala Ser Phe Thr Ala Ile Gly Asp Thr Thr Ala Gln Val Pro Phe Ser  
 27 1 5 10 15  
 29 Ile Val

Artificial Sequence is the only valid response, per 1.823

of  
new  
Sequence  
rules

VERIFICATION SUMMARY

PATENT APPLICATION: US/09/646,043

DATE: 03/29/2001

TIME: 15:59:25

Input Set : A:\0933-0162P.ST25.txt

Output Set: N:\CRF3\03292001\I646043.raw